



adaptTo()

APACHE SLING & FRIENDS TECH MEETUP
BERLIN, 22-24 SEPTEMBER 2014

Dynamic Components using SPA Concepts
Andon Sikavica, Bojana Popovska

netcetera



Dynamic Components

Dynamic vs Static Components

Count of Dynamic vs Statics
(in hundreds)




Initial and form-based components take big chunk of the **statics**


We spend more than 90% of the time developing **dynamics**

Dynamic Component Development

- Placeholder for dynamic component in dispatcher
 - think about what you will have in the dispatcher
- Request dynamic component via URL
 - /content/page/_jcr_content/par/comp.dynamic.html
- Instruct dispatcher not to cache based on selector
 - `#/0042 { /type "deny" /glob "GET *.dynamic.html*" }`

Server Side Includes







- Sling Concepts
 - component-path
 - selectors
 - sling:resourceSuperType
- Aspect-Oriented Solution
- Sling Dynamic Include



What if...

- ... you have high number of dynamic components on a single page?
- ... your components need to communicate between themselves and update their state?
- ... you need to do notifications for the user?
... basically need SPA


Why were the usual approaches Tricky?



They were meant to be used
with **page reloads**


They work with **pre-loaded
Markup** from server


Single Page Application



- Rendering Script (JSP)
 - Cached, Inherited
- Module (JS)
 - Cached, Composition
- Controller
 - Handles all dynamic calls

Page Load



- 
- A grayscale photograph of several LEGO minifigures on a newspaper. The minifigures are arranged in a scene that includes a counter, a clock, and some boxes, suggesting a business or office environment. The newspaper has some text and diagrams visible, but they are not legible.
- **jQuery**
 - **jQuery loadTemplate**
 - **GSON**
 - **Spring (MVC, AOP)**



- Perceived User Experience
- Separation of front- and back-end engineering
 - easier development
 - prototype
 - mocked data

Showcase

Rendering Script

```
<table
  class="scheduleTable">
  <th>
    <td>Talk Name</td>
    <td>Time</td>
  </th>
  <tbody></tbody>
</table>
```

Static
Markup

```
<script type="text/html"
  id="scheduleTableTemplate">
  <tr>
    <td data-content="talkName"></td>
    <td data-content="time"></td>
  </tr>
</script>
```

Template

```
$(`.scheduleTable tbody`).loadTemplate(
  `#scheduleTableTemplate`,
  data.talks);
```

Inject data

```
<script type="text/javascript">
  aemdemo.scheduletable.init(
  'http://localhost:4502/bin/mvc.do/scheduletable/getresult');
</script>
```

Initialization script


```
aemdemo.schedulestable = (function($, paging, sort) {  
    var params;  
    function init (dataUrl) {  
        params.dataUrl = dataUrl;  
    }  
    function getDataByPage (pageNumber) {  
        $.ajax {  
            data : { . . . },  
            url : params.dataUrl,  
            success : function (data) { paging.update (data) }  
        }  
    }  
    return {  
        init: init  
    }  
} (jQuery, aemdemo.paging, aemdemo.sort));
```

Controller

@Controller

```
public class ScheduleTableController {  
    @RequestMapping(value = "/scheduletable/getresult",  
        produces = {"application/json"}, method = POST)  
    @ResponseBody  
    public String getResult(@RequestParam int pageNumber) {  
        ConferenceDay conferenceDay = getDataFromService();  
        return serializeData(conferenceDay);  
    }  
}
```

Identify and Control POSTs

■ Add Header

```
$.ajaxPrefilter(function (options, originalOptions, jqXHR) {  
    jqXHR.setRequestHeader('X-Request-Source', 'spa-ajax');  
});
```

■ Check Handler

```
Servlet servlet = servletResolver.resolveServlet(slingRequest);  
if ("SlingPostServlet".equals(servlet.getClass().getSimpleName())  
    && isDynamicRequest() ) {  
    // ups  
}
```





Demo Project

<http://bit.ly/aemspademo>





Thank You!

netcetera

