

APACHE SLING & FRIENDS TECH MEETUP 10-12 SEPTEMBER 2018

The underappreciated power of content invalidation

Jakub Wądołowski, Cognifide (@jwadolowski)



There are only two hard things in Computer Science: cache invalidation and naming things.

Phil Karlton

https://flic.kr/p/c7a8iE



HTTP caching



What can be cached?

- HTTP response (body & headers)
- What makes response cacheable?
- Static assets only?
- Body encoding matters
 - gzip, deflate, br, ...




Caching layers

- AEM (custom in-memory cache)
- Dispatcher
- CDN
- Web browser

https://flic.kr/p/Vh2TXE



Invalidation strategy





Dispatcher invalidation

- 3 primary techniques
 - by folder level (statfile)
 - TTLs
 - resource only
- Extras
 - refetching
 - custom script



```
/cache
    /docroot "/opt/cache/publish"
    /rules
        /0000 { /type "deny" /glob "*" }
        /0060 { /type "allow" /glob "/content/myproject/*.html" }
        /0090 { /type "allow" /glob "/content/dam/*.png" }
        /0092 { /type "allow" /glob "/content/dam/*.jpg" }
    /invalidate
        /0000 { /type "deny" /glob "*" }
    /invalidateHandler "/etc/httpd/conf/dispatcher/invalidateHandler.sh"
```



Invalidation request

```
GET /dispatcher/invalidate.cache HTTP/1.1
CQ-Action: Activate
CQ-Handle: /content/adaptto/2018/en/home
CQ-Action-Scope: ResourceOnly
Referer: about:blank
Content-Length: 0
Content-Type: application/octet-stream
User-Agent: Jakarta Commons-HttpClient/3.1
Host: adapt.to
```



```
/etc/httpd/conf/dispatcher/invalidateHandler.sh \
    $1 \ # CQ-Handle
    $2 \ # CQ-Action
    $3 # CQ-Action-Scope
```



Nothing fancy, huh?

- Plenty of possibilities
 - handle related resources
 - invalidate CDN's cache
 - push data to external systems
 - · ...



CDN invalidation



The plan

- High hit ratio & cache coverage
- Long TTLs (30+ days)
- AEM content changes reflected quickly
- Precise invalidation

https://flic.kr/p/7F4bHa




Content view

- Dispatcher mirrors AEM content structure
- SEO-optimized customer-facing URLs



Dispatcher cache






CDN cache

```
"homepage_key": "homepage.html_response",
"contact-us_key": "contact-us.html_response",
"schedule_key": "schedule.html_response",
.....
"venue_key": "venue.html_body"
```



CDN cache keys


```
key = hash_function(protocol, host, path)
key = hash_function(
    "https",
    "adapt.to",
    "/2018/en.html"
```





Invalidation APIs

- Multiple endpoints
 - feature/authentication differences
 - performance may vary
- Invalidation scope
 - everything
 - URL(s)
 - tag







/content/dam/adaptto/image.jpg/jcr:content/renditions.1.json

```
"jcr:primaryType": "nt:folder",
"jcr:createdBy": "admin",
"jcr:created": "Fri Apr 27 2018 10:01:28 GMT+0100",
"cq5dam.web.1280.1280.jpeg": {
  "jcr:primaryType": "nt:file",
  "jcr:createdBy": "admin",
  "jcr:created": "Fri Apr 27 2018 10:01:28 GMT+0100"
"original": {
  "jcr:primaryType": "nt:file",
  "jcr:createdBy": "admin",
  "jcr:created": "Fri Apr 27 2018 10:01:28 GMT+0100"
"cq5dam.thumbnail.319.319.png": {
  "jcr:primaryType": "nt:file",
  "jcr:createdBy": "admin",
  "jcr:created": "Fri Apr 27 2018 10:01:28 GMT+0100"
```



/content/dam/adaptto/image.jpg/jcr:content/metadata.json

```
"jcr:primaryType": "nt:unstructured",
"jcr:mixinTypes": [
 "cq:Taggable"
"dam:Fileformat": "JPEG",
"tiff:ImageLength": 1080,
"tiff:YResolution": "300/1",
"xmp:CreateDate": "Thu Jul 23 2015 12:52:35 GMT-0700",
"tiff:ImageWidth": 1920,
"dam:sha1": "4608b968ad44797313ee7d6710be9c3dfba1e937",
"dam:size": 302402,
"tiff:SamplesPerPixel": 3,
"tiff:PhotometricInterpretation": 2
```



DAM invalidation script

```
declare INVALIDATED_PATH="${1}"
declare DAM ASSET="^/content/dam/.+"
function renditions() {}
# Generate API payload:
function api_payload() {}
# Send a request to Fast Purge API v3
function ccuv3_invalidate_by_url() {}
if [[ "${INVALIDATED_PATH}" =~ ${DAM_ASSET} ]]; then
    ccuv3_invalidate_by_url $(api_payload $(renditions ${INVALIDATED_PATH}))
```



Akamai API request

```
POST /ccu/v3/invalidate/url/production
Content-Type: application/json
Host: api.akamai.com
User-Agent: HTTPie/0.9.9
Authorization: EG1-HMAC-SHA256 <signed token>
    "objects": [
        "https://example.org/content/dam/images/image1.jpg.rendition.480.360.jpg",
        "https://example.org/content/dam/images/image1.jpg.rendition.900.675.jpg",
        "https://example.org/content/dam/images/image1.jpg.rendition.1152.864.jpg",
        "https://example.org/content/dam/images/image1.jpg.rendition.2880.1233.jpg"
```




Alt text (1/3)

```
<img src="/content/dam/logo.jpg.rendition.480.480.jpg"
    alt="adaptTo() logo"
    title="adaptTo() logo">
```



Alt text (2/3)

- Get all the pages that use given asset
- Query Builder API





Alt text (3/3)

```
"hits": [
    "path": "/content/adaptto/2018/home/jcr:content/content/box_123/image",
    "excerpt": "",
    "name": "image",
    "title": "image"
  },
    "path": "/content/adaptto/2018/home/contact-us/jcr:content/content/box_789/image",
    "excerpt": "",
    "name": "image",
    "title": "image"
```




Vanity URLs

- Each page can have a number of easy-toremember URLs
- Those pages are cacheable too




Vanity URLs (1/3)





Vanity URLs (2/3)





Vanity URLs (3/3)

```
[Sun Sep 01 13:16:53 2018] Activation detected: action=Activate [/start-here]
[Sun Sep 01 13:16:53 2018] Activation detected: action=Activate [/yet/another/vanity]
[Sun Sep 01 13:16:53 2018] Activation detected: action=Activate [/homepage]
...
[Sun Sep 01 13:16:53 2018] Activation detected: action=Activate [/content/adaptto/de/de-de/home]
[Sun Sep 01 13:16:53 2018] Touched /mnt/var/www/html/publish/.stat
[Sun Sep 01 13:16:53 2018] Evicted /mnt/var/www/html/publish/content/adaptto/de/de-de/home.html
[Sun Sep 01 13:16:53 2018] Evicted /mnt/var/www/html/publish/content/adaptto/de/de-de/home.html
```




Reusable components


- Common elements (i.e. header)
- SDI (Sling Dynamic Include) to the rescue
 - SSI (Server Side Includes)
 - ESI (Edge Side Includes)

https://flic.kr/p/dgghVK













Tag-based invalidation (1/4)

- Not everything can be wrapped into SSI/ESI
 - Layout/templates
 - HTML markup configs
- Is QueryBuilder the only option?



Tag-based invalidation (2/4)







Tag-based invalidation (3/4)

```
POST /service/<SERVICE_ID>/purge/article


Fastly-Key: <auth_token>
Accept: application/json
Fastly-Soft-Purge: 1
```



Browser caching



Browser cache setup





Versioned clientlibs

- Generally a good idea
- Does it fit well into CDN setup?


https://flic.kr/p/9gTRKV



Cache-Control

- public/private
- max-age=<seconds>
- must-revalidate
- no-cache







We barely scratched the surface...

- API throttling
- Error handling
 - Payload limits
- Non-obvious content references

https://flic.kr/p/pSB1rM



Lessons learned

- purge all is dangerous
- make invalidation as precise as possible
- plan SSI/ESI since the very beginning
- QueryBuilder calls may require extra indexes



https://flic.kr/p/dgge8U 46



Thank you!